



**221-412**

# CONTENT

---



Augmented Reality (AR) - Digital meets real	2
3D preview of 221-412	3
Integrate Wago catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for Wago catalog	8



221-412

## AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click [here](#) or directly try yourself by scanning the QR code with your phone.




Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.



221-412

## 3D view



### HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then **Trust this document**

#### Zoom

Se mueve hacia objetos o se aleja de ellos en la pantalla cuando se mueve verticalmente. También puede hacer Zoom con la mano de las herramientas preseionando la recla Shift mientras arrastra

#### Pan

El modelo se puede mover solo horizontal o verticalmente. También puede girar con la mano de herramientas: Ctrl-arrastrar.

#### Girar


Gira objetos 3D relativos a la pantalla. Cómo los objetos se mueven depende de la vista de comienzo, donde usted empieza a arrastrar y en la dirección en la que usted arrastra.



221-412

## CAD plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.







To the plugins



221-412

2D derivation

ISO view



### Bill-Of-Materials

N°	Designación	Cantidad
1.1	221-412	1



**221-412**

## Technical drawings



**221-412**

## Technical data

BESTNR (Item-No.)	221-412
INFODE (WAGO eShop)	Info DE
INFOEN (WAGO eShop)	Info EN
QUERSCHNITT1 (Sección / mm <sup>2</sup> )	0.2 - 4 "e + m" / 0.14 - 4 "f"
QUERSCHNITT2 (Sección / AWG)	24 - 12
ABISOLIERLAENGE (Longitud de pelado / mm)	11
SPANNUNG (Tensión asignada según / V)	450
BEMESSSTOSSSPG (Tensión de choque asignada / kV)	4
VERSCHMUTZGRAD (Grado de ensuciamiento)	2
STROM (Intensidad de corriente según / A)	32
P (Número de polos)	2
HOEHE (Altura / mm)	8.15
BREITE (Ancho / mm)	13
TIEFE (Profundidad / mm)	18.3
ANZAHLKLEMMSTEL (Número de puntos de conexión)	2
ANZAHLPOTENTIAL (Número de potenciales)	2
FARBE (Color)	transparent
GEWICHT (Peso / g)	1.6
FILENAME (Filename)	221-412



221-412

## E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!



**Become an Expert of Digital Engineering**

**E-Learning**  
Get a free certificate!

**3Dfindit**

**Boost your career and get ready for Industry 4.0!**

[Learn more](#)

[Start course](#)