



CABLE LENGTH	TOLERANCE *					
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER					
STRIP LENGTH	TOLERANCE *					
0-7mm	±0.5mm					
8-29mm	±1.0mm					
30-49mm	±2.0mm					
50-69mm	±3.0mm					
70-100mm	±4.0mm					
OVER 100mm	±5.0mm					
* UNILESS OTHERWISE SPECIFIED						

SOURCE DRAWING - FOR REFERENCE ONLY

0VER 10011111 ±3.011111									
* UNLESS OTHERWISE SPECIFIED			RELATED DOCUMENTS	3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE			3000 CAMPUS D NNEAPOLIS. MN	
NOTES: 1. "*" INDICATES CABLE LENGTH IN METERS. CONTACT TURCK TO ORDER		1. 2. 3. 4.	PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		r is TURCK 1-8 (76. (76. (76.		1-800-544-7 (763) 553-73	300-544-7769 33) 553-7300 33) 553-0708 fax	
SPECIFIC LENGTHS.			MATERIAL		DRFT NF	DATE 02/04/19	DESCRIPTION DIC 4 4T * DC 4	4T /C7F7=	
2. "S3537" DESIGNATES SAFETY EXHAUST VALVE WIRING FOR SAFETY BLOCK.		SEE SPECIFICATION	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY	APVD E.S.	SCALE 1=1.0	RK 4.4T-*-RS 4	41/5353/	′	
				UNIT OF MEASUREMENT		IDENTIFICATION NO.		DD/	
		FINISH	CONTACT TURCK	MILLIMETER [INCH]		IDENTIFICATION NO.		REV	
A DRAWING RELEASE	NF 02/13/19		SEE SPECIFICATIONS	FOR MORE INFORMATION	IVIILLIMIC I				Α
REV DESCRIPTION	BY DATE	ECO NO.	1		DO NOT SCAL	E THIS DRAWING	FILE: 777042820	SHEET	1 OF 1